



DRAFTING SYMBOLS

	EXISTING HANDHOLE
	PROPOSED HANDHOLE
	EXISTING ADDRESS
	EXISTING CONCRETE

DRAFTING LINETYPES

EDGE OF ROAD	EOR
ROW	R/W
SIDEWALK	S/W
CENTERLINE	---
PROPERTY LINE	- - - - -
PROPOSED BORE ROUTE	
ROUTE THROUGH	
EXISTING DUCT	

PERMIT NOTES:

- 1.) This IP Connect project will provide Fiber and Data service to 11820 Fountains Way, Maple Grove, MN.
- 2.) Begin at existing handhole HH11700_ECB. Jet new UO72 Fiber through existing duct 137' south to intercept point. Place new 30"x48" handhole over existing duct. Bore new 1.25" ID and new UO24 fiber 185' west and place new 30"x48" handhole at customer's extended CBO. Jet new fiber 90' south to access point of customer building.
- 3.) All disturbed surfaces will be restored to as good as or better condition than found condition.
- 4.) All existing underground utilities will be located prior to construction.

The subsurface utility information in this plan is utility quality level D. This utility level was determined according to the guidelines of CI/ASCE 38-02, entitled "Standard Guidelines for the collection and depiction of existing subsurface utility data. It shall be the contractor's responsibility to utilize the Gopher State One Call Evacuation Notice system required by MN statute Chapter 216d for all underground utility locations.

11820 Fountains Way
CHICK-FIL-A
 HENNEPIN COUNTY
 CITY PERMIT SKETCH - MAPLE GROVE, MN

SCALE: 1"=60'



ENGINEER: CENTURYLINK
 CPA/CONTRACTOR: CENTURYLINK/TELCOM
 DRAWN BY: TELCOM CONSTRUCTION

PROJECT: N.532954 WIRE CENTER:
 1.) LOCATE ALL UTILITIES BEFORE DIGGING
 2.) POT HOLE ALL BURIED UTILITY CROSSINGS
 3.) SEE NOTES ABOVE
 SHEET: 01 OF 01 REV:02 DATE:4/07/2019