

PERMIT DRAWING



EXISTING PED

RANCHVIEW LN

DIRECT BORE PLACE 250' OF ANMW-25pr COPPER CABLE

EXISTING PED

93rd AVE NORTH

CITY OF MAPLE GROVE PERMIT NOTES:

1. THIS JOB PLACES 250' OF ANMW-25PR COPPER CABLE
2. DIRECTIONAL BORE AND HAND DIGGING WILL BE USED.
3. ALL DISTURBED SURFACES WILL BE RESTORED TO AS GOOD AS OR BETTER CONDITION THAN FOUND CONDITION.
4. ALL EXISTING UNDERGROUND UTILITIES WILL BE LOCATED PRIOR TO CONSTRUCTION.
5. ANY CONFLICTING UNDERGROUND UTILITIES WILL BE POT HOLED.
6. 36" MINIMUM COVER WILL BE MAINTAINED ALONG ROADWAY
7. BORE SHALL MAINTAIN 2' CLEARANCE FROM HAND HOLES STREET LIGHTS & SIGNAL POLE FOUNDATION.

NO WORK SHALL COMMENCE UNTIL A SIGNED PERMIT IS IN HAND AND ON SITE WITH CONTRACTOR



PERMITS REQUIRED: MAPLE GROVE
 W/C: OSSEMN
 CPA: GAHLBRECHT
 CPS: BRICHTER

CONTACT PERSON: SHAWN NIESS
 PHONE: 651-312-5389
 FAX:
 EMAIL: SHAWN.NIESS@CENTURYLINK.COM

JOB: N.181555
 LOC.: 9316 RANCHVIEW LN N
 MAPLE GROVE, MN
 ISSUE DATE:

DRAWING SYMBOLS

