


ADDRESS: FERNBROOK RD, MAPLE GROVE MN 55369  
 PROJECT NAME: MG-FERNBROOK & TERRITORIAL RNDABOUT RELO


CONTACTS  
 CONTACT INFO  
 Zayo Project Manager:  
 Jason Overkamp (651) 788-5890

SITE INDEX  
 A - COVER SHEET/SITE LOCATION  
 B - RAKE OFF  
 C - LEGEND  
 D - GENERAL NOTES  
 1 PROJECT SHEET



----- NEW BURIED CONSTRUCTION

# SITE LOCATION



A	MG FERBROOK & TERRITORIAL RNDABOUT HENNEPIN COUNTY	Zayo Bandwidth	DESIGN	DRAFTING	Prepared By: <b>mi-TECH</b> MI-TECH 21330 John Millers DR Suite 101 ROGERS, MN 55374 (920) 924-3690	<b>zayo</b> BANDWIDTH	SCALE: NTS	DRAWN BY: MI-TECH
			FIELD DESIGN	BASE			PRINT DATE: 5/26/21	STATUS: PERMIT
			AS-BUILT	FIELD DESIGN			MG FERBROOK & TERRITORIAL RNDABOUT.dwg	COVER
				AS-BUILT				

## RAKE OFF SHEET

DESCRIPTION	QUANTITY	UNITS	FURNISHED BY	PLACED BY
DIRECTIONAL BORE	674	FT	CONTRACTOR	CONTRACTOR
2 EA 1.25" HDPE	1348	FT	CONTRACTOR	CNTRACTOR
72F SM FIBER CABLE	1074	FT	CONTRACTOR	CONTRACTOR
30"X48"X36" SPLIT LID HANDHOLE	4	EA	CONTRACTOR	CONTRACTOR
LOCATE MARKER POST	4	EA	CONTRACTOR	CONTRACTOR
GROUND ROD	4	EA	CONTRACTOR	CONTRACTOR
SPLICE CASE	2	EA	CONTRACTOR	CONTRACTOR

# LEGEND

## LINETYPES

	UG FIBER - EXISTING
	UG FIBER - PROPOSED
	AERIAL FIBER - EXISTING
	AERIAL FIBER - PROPOSED
	AERIAL STRAND - EXISTING
	AERIAL STRAND - PROPOSED
	ZAYO FIBER - PULL THRU EXISTING (OVERPULL)
	DISTRICT ENERGY
	GAS
	WATER
	TELEPHONE
	ELECTRIC
	SANITARY SEWER (SEW)
	STORM DRAIN
	FENCE
	CABLE TV
	STEAM
	OIL
	UNKNOWN UTILITY
	RIGHT OF WAY
	FACE OF CURB
	STREET LIGHT/TRAFFIC SIGNAL
	EDGE OF PAVEMENT

SYMBOL	DESCRIPTION
ASW	ASPHALT SIDEWALK
BIP	BLACK IRON PIPE
BSP	BLACK STEEL PIPE
CSW	CONCRETE SIDEWALK
EOP	EDGE OF PAVEMENT
EOTW	EDGE OF TRAVEL WAY
F of C	FACE OF CURB
HDPE	HIGH DENSITY POLYETHYLENE
HH	HANDHOLE
JB	JUNCTION BOX
MH	MANHOLE
MP	MILE POST
O/S	OFFSET
PVC	POLY VINYL CHLORIDE
RGS	RIGID GALVANIZED STEEL CONDUIT
R/W	RIGHT OF WAY
STA.	STATION

	RISER
	TELEPHONE
	POWER VAULT
	CATCH BASIN/INLET
	FIRE HYDRANT
	GROUND/BOND
	STREET LIGHT
	TREE
	CULVERT
	WING WALL
	BRIDGE
	LOCATABLE POLY DOME MARKER
	HANDHOLE - EXISTING
	HANDHOLE - PROPOSED
	MANHOLE - EXISTING
	MANHOLE - PROPOSED
	PULLBOX - EXISTING
	PULLBOX - PROPOSED
	BUILDING CALLOUT - PROPOSED

	VAULT - EXISTING
	VAULT - PROPOSED
	AERIAL STORAGE - EXISTING
	AERIAL STORAGE - PROPOSED
	VAULT/BUILDING STORAGE - EXISTING
	VAULT/BUILDING STORAGE - PROPOSED
	POLE ANCHOR/DOWN GUY - EXISTING
	POLE ANCHOR/DOWN GUY - PROPOSED
	PROPOSED DOWN GUY ON EXISTING ANCHOR
	MISC. UTILITY
	UTILITY POLE - EXISTING
	POLE - PROPOSED
	TERMINATION - EXISTING
	TERMINATION - PROPOSED
	MANUFACTURER NAME
	MANUFACTURER NAME



# GENERAL NOTES

1. Contractor must obtain locates prior to disturbing the ground.
2. Contractor must have a copy of the approved permit from the appropriate agency on the jobsite at all times.
3. All cable will be placed at standard minimum depth. (ZAYO standard is 48" deep unless otherwise directed by a ZAYO representative.)
4. Any landscaping will be replaced to equal or better than that which existed prior to work.
5. Project site will be properly secured prior to the end of each day.
6. All work is to be in accordance with all authorities having jurisdiction in the work zone.
7. Contractors are advised to contact ZAYO for any additional information or clarification concerning scope of work or the requirements necessary for project completion.
8. Contractor is responsible to field verify all dimensions, quantities and existing conditions prior to construction. If a significant change to the running line is needed, please contact your ZAYO representative before proceeding.
9. Before construction begins, contractor shall take appropriate precautions to avoid any potential obstructions prior to proceeding with work.
10. No construction on private property will commence until approval is given by the appropriate ZAYO employee.
11. Contractor shall not proceed with work until they have received a Purchase Order and have been directed to do so by an authorized ZAYO representative.
12. Contractor shall not exceed the Purchase Order value without authorization in writing from the appropriate ZAYO representative.
13. As-Builts will be required for each project including cable footage sequential's at every access point, slack loop, splice location, pole and termination point. Contractor shall provide notes of all changes in depths, running lines, mh/hh locations, and any other applicable notes to depict the work that took place. NOTE: All major changes need to be pre-approved by an authorized ZAYO employee prior to starting the work.
14. The subsurface utility information in this plan is utility quality level D. This utility quality level was determined according to the guidelines of CI/ASCE 38-02, entitled standard guidelines for the collection and depiction of existing subsurface utility data. It shall be the contractors responsibility to utilize the Gopher State One Call excavation notice system required MN statute, chapter 216d for all underground utility locations.



<b>D</b>	<b>MG FERBROOK &amp; TERRITORIAL RNDABOUT HENNEPIN COUNTY</b>	<b>Zayo Bandwidth</b>	DESIGN		DRAFTING		Prepared By: <b>MI-TECH</b> 21330 John Milless DR Suite 101 ROGERS, MN 55374 (920) 924-3690		SCALE: NTS	DRAWN BY: MI-TECH
			FIELD DESIGN		BASE				PRINT DATE: 5/26/21	STATUS: PERMIT
			AS-BUILT		FIELD DESIGN				MG FERBROOK & TERRITORIAL RNDABOUT.dwg	
					AS-BUILT				NOTES	

